BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images, please do not report the images to the Image Problem Mailbox.

WEST

Freeform Search

Database: US Patents Full-Text Database; US Pre-Grant Publication Full-Text Database; JPO Abstracts Database; EPO Abstracts Database; Derwent World Patents Index; IBM Technical Disclosure Bulletins

Term: iodide ion same stabilizing agent

Display: 10 **Documents in Display Format:** - **Starting with Number** 1

Generate: ○ **Hit List** ◉ **Hit Count** ○ **Side by Side** ○ **Image**

Search | Clear | Help | Logout | Interrupt

Main Menu | Show S Numbers | Edit S Numbers | Preferences | Cases

Search History

DATE: Tuesday, October 01, 2002 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=USPT,PGPB,JPAB,EPAB,DWPI; PLUR=YES; OP=ADJ			
L17	iodide ion same stabilizing agent	5	L17
L16	sodium iodide same stabilizing agent	14	L16
L15	potassium iodide same stabilizing agent	21	L15
L14	(nai or ki) same (tc or technetium)	144	L14
L13	radionuclide same (iodide ion)	3	L13
L12	contrast agent same (iodide ion)	3	L12
L11	imaging same (iodide ion)	41	L11
L10	l8 and L9	143	L10
L9	ki or nai or ammonium iodide	32220	L9
L8	radionuclide and L7	903	L8
L7	imaging same (iodide ion or i-)	11409	L7
L6	iodide ion and (424/1.81.ccls. or 424/1.85.ccls.)	4	L6
L5	l2 and L4	1	L5
L4	sstr or somatostatin receptor binding peptide or depreotide or p2045	186	L4
L3	l2 and radionuclide	77	L3
L2	L1 and (424/1.81.ccls. or 424/1.85.ccls.)	205	L2
L1	iodide or i or ki or nai	3176491	L1

END OF SEARCH HISTORY

```
Welcome to STN International!  Enter x:x

LOGINID:ssspta1619lxw

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2


* * * * * * * * * *   Welcome to STN International   * * * * * * * * * *

 NEWS  1           Web Page URLs for STN Seminar Schedule - N. America
 NEWS  2  Apr 08   "Ask CAS" for self-help around the clock
 NEWS  3  Apr 09   BEILSTEIN: Reload and Implementation of a New Subject Area
 NEWS  4  Apr 09   ZDB will be removed from STN
 NEWS  5  Apr 19   US Patent Applications available in IFICDB, IFIPAT, and
IFIUDB
 NEWS  6  Apr 22   Records from IP.com available in CAPLUS, HCAPLUS, and
ZCAPLUS
 NEWS  7  Apr 22   BIOSIS Gene Names now available in TOXCENTER
 NEWS  8  Apr 22   Federal Research in Progress (FEDRIP) now available
 NEWS  9  Jun 03   New e-mail delivery for search results now available
 NEWS 10  Jun 10   MEDLINE Reload
 NEWS 11  Jun 10   PCTFULL has been reloaded
 NEWS 12  Jul 02   FOREGE no longer contains STANDARDS file segment
 NEWS 13  Jul 22   USAN to be reloaded July 28, 2002;
                   saved answer sets no longer valid
 NEWS 14  Jul 29   Enhanced polymer searching in REGISTRY
 NEWS 15  Jul 30   NETFIRST to be removed from STN
 NEWS 16  Aug 08   CANCERLIT reload
 NEWS 17  Aug 08   PHARMAMarketLetter(PHARMAML) - new on STN
 NEWS 18  Aug 08   NTIS has been reloaded and enhanced
 NEWS 19  Aug 19   Aquatic Toxicity Information Retrieval (AQUIRE)
                   now available on STN
 NEWS 20  Aug 19   IFIPAT, IFICDB, and IFIUDB have been reloaded
 NEWS 21  Aug 19   The MEDLINE file segment of TOXCENTER has been reloaded
 NEWS 22  Aug 26   Sequence searching in REGISTRY enhanced
 NEWS 23  Sep 03   JAPIO has been reloaded and enhanced
 NEWS 24  Sep 16   Experimental properties added to the REGISTRY file
 NEWS 25  Sep 16   Indexing added to some pre-1967 records in CA/CAPLUS
 NEWS 26  Sep 16   CA Section Thesaurus available in CAPLUS and CA

 NEWS EXPRESS  February 1 CURRENT WINDOWS VERSION IS V6.0d,
               CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP),
               AND CURRENT DISCOVER FILE IS DATED 05 FEBRUARY 2002
 NEWS HOURS    STN Operating Hours Plus Help Desk Availability
 NEWS INTER    General Internet Information
 NEWS LOGIN    Welcome Banner and News Items
 NEWS PHONE    Direct Dial and Telecommunication Network Access to STN
 NEWS WWW      CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

  All use of STN is subject to the provisions of the STN Customer
  agreement.  Please note that this agreement limits use to scientific
  research.  Use for software development or design or implementation
  of commercial gateways or other similar uses is prohibited and may
  result in loss of user privileges and other penalties.
```

```
  * * * * * * * * * * * * * * STN  Columbus  * * * * * * * * * * * * * * * *


FILE 'HOME' ENTERED AT 13:45:59 ON 01 OCT 2002

=> fil caplus uspatfull biosis embase medline
COST IN U.S. DOLLARS                                    SINCE FILE      TOTAL
                                                           ENTRY    SESSION
FULL ESTIMATED COST                                         0.21       0.21

FILE 'CAPLUS' ENTERED AT 13:46:11 ON 01 OCT 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPATFULL' ENTERED AT 13:46:11 ON 01 OCT 2002
CA INDEXING COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'BIOSIS' ENTERED AT 13:46:11 ON 01 OCT 2002
COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC.(R)

FILE 'EMBASE' ENTERED AT 13:46:11 ON 01 OCT 2002
COPYRIGHT (C) 2002 Elsevier Science B.V.  All rights reserved.

FILE 'MEDLINE' ENTERED AT 13:46:11 ON 01 OCT 2002

=> s (potassium iodide or sodium iodide)(p)stabilizing agent
L1          27 (POTASSIUM IODIDE OR SODIUM IODIDE)(P) STABILIZING AGENT

=> dup rem l1
PROCESSING COMPLETED FOR L1
L2           27 DUP REM L1 (0 DUPLICATES REMOVED)

=> d kwic

L2   ANSWER 1 OF 27  USPATFULL
SUMM   . . . provide a reduction in grain size of the copper adjacent to a
       silver rich layer. The copper plating baths contain sodium
       iodide stabilizing agent, silver ions, EDNA,
       copper sulphate an sodium hydroxide and, especially, a reducing agent.


=> d 1 ibib kwic

L2   ANSWER 1 OF 27  USPATFULL
ACCESSION NUMBER:       2001:208522  USPATFULL
TITLE:                  Process for silver plating in printed circuit board
                        manufacture
INVENTOR(S):            Soutar, Andrew McIntosh, London, United Kingdom
                        McGrath, Peter Thomas, Mission Viejo, CA, United
States
PATENT ASSIGNEE(S):     Alpha Metals, Inc., Jersey City, NJ, United States
                        (U.S. corporation)

                             NUMBER       KIND    DATE
                        ---------------- ------ --------
PATENT INFORMATION:     US 6319543         B1   20011120
```

APPLICATION INFO.: US 1999-282729 19990331 (9)
DOCUMENT TYPE: Utility
FILE SEGMENT: GRANTED
PRIMARY EXAMINER: Talbot, Brian K.
LEGAL REPRESENTATIVE: Mintz, Levin, Cohn, Ferris, Glovsky and Popeo, P.C.
NUMBER OF CLAIMS: 25
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 1 Drawing Figure(s); 1 Drawing Page(s)
LINE COUNT: 780
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
SUMM . . . provide a reduction in grain size of the copper adjacent to a silver rich layer. The copper plating baths contain **sodium iodide stabilizing agent**, silver ions, EDNA, copper sulphate an sodium hydroxide and, especially, a reducing agent.

=> d 2 ibib kwic

L2 ANSWER 2 OF 27 CAPLUS COPYRIGHT 2002 ACS
ACCESSION NUMBER: 2000:384310 CAPLUS
DOCUMENT NUMBER: 133:18503
TITLE: Polyamide resin compositions and vehicular mirror-supporting part containing them
INVENTOR(S): Negi, Yukinari; Wakamura, Kazuyuki; Kamitani, Kenji; Fujii, Hiromu
PATENT ASSIGNEE(S): Unitika Ltd., Japan
SOURCE: PCT Int. Appl., 45 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000032693	A1	20000608	WO 1999-JP6372	19991115
W: CN, JP, KR, SG, US				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
EP 1162236	A1	20011212	EP 1999-973051	19991115
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				

PRIORITY APPLN. INFO.: JP 1998-336410 A 19981127
WO 1999-JP6372 W 19991115
REFERENCE COUNT: 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE
FORMAT
IT 7681-11-0, **Potassium iodide**, uses 7681-65-4, Copper iodide (CuI)
RL: MOA (Modifier or additive use); USES (Uses)
(light-shielding/**stabilizing agent**; polyamide resin compns. for manuf. of vehicular mirror-supporting part with good rigidity, gloss, surface smoothness and weather resistance)

=> d 3 ibib kwic

L2 ANSWER 3 OF 27 USPATFULL
ACCESSION NUMBER: 2000:131180 USPATFULL

TITLE: Method of cleaning and disinfecting contact lens
INVENTOR(S): Matsumoto, Satoru, Nagoya, Japan
Sugiura, Atsuko, Yokkaichi, Japan
PATENT ASSIGNEE(S): Tomey Corporation, Japan (non-U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 6126706		20001003	
APPLICATION INFO.:	US 1998-187133		19981106	(9)

	NUMBER	DATE
PRIORITY INFORMATION:	JP 1997-306744	19971110

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Fries, Kery
LEGAL REPRESENTATIVE: Wall Marjama Bilinski & Burr
NUMBER OF CLAIMS: 9
EXEMPLARY CLAIM: 1
LINE COUNT: 853
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
SUMM . . . so as to provide the desired disinfectant. The disinfectant, i.e., the aqueous solution of the iodine-complex polymer contains as a **stabilizing agent**, a halogenated compound of alkali metal such as sodium chloride or **potassium iodide** for the purpose of stabilizing the iodine molecules (the effective or available iodine) in the solution. The amount of the. . .

=> d 4 ibib kwic

L2 ANSWER 4 OF 27 USPATFULL
ACCESSION NUMBER: 2000:17247 USPATFULL
TITLE: Process for manufacturing diecast parts
INVENTOR(S): Gabathuler, Jean-Pierre, Schleitheim, Switzerland
Gyongyos, Ivan, Singen, Germany, Federal Republic of
Thurner, Hans-Gunther, Baldham, Germany, Federal Republic of
Wust, Jurgen, Erding, Germany, Federal Republic of
PATENT ASSIGNEE(S): Bayrisches Druckguss-Werk Thurner GmbH & Co. KG, Markt Schwaben, Germany, Federal Republic of (non-U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 6024158		20000215	
	WO 9629165		19960926	
APPLICATION INFO.:	US 1996-737764		19961118	(8)
	WO 1996-EP1182		19960319	
			19961118	PCT 371 date
			19961118	PCT 102(e) date

	NUMBER	DATE
PRIORITY INFORMATION:	EP 1995-104092	19950320

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Reed Batten, Jr., J.
LEGAL REPRESENTATIVE: Weingarten, Schurgin, Gagnebin & Hayes LLP
NUMBER OF CLAIMS: 25

EXEMPLARY CLAIM: 1,19
LINE COUNT: 309
DETD In order to avoid any precipitation or flocculation of the parting compound, particularly when **potassium iodide** is used, in a further preferred embodiment of the invention additives are added to the parting compound for stabilization purposes. The preferred **stabilizing agent** is sodium thiosulfate at a concentration of 0.01 to 0.5% by volume. This prevents a pronounced reduction of the quality. . .

=> d 5 ibib kwic

L2 ANSWER 5 OF 27 USPATFULL
ACCESSION NUMBER: 1999:113429 USPATFULL
TITLE: Process for silver plating in printed circuit board manufacture
INVENTOR(S): Soutar, Andrew McIntosh, London, United Kingdom
McGrath, Peter Thomas, Mission Viejo, CA, United States
PATENT ASSIGNEE(S): Alpha Metals, Inc., Jersey City, NJ, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5955141		19990921
APPLICATION INFO.:	US 1997-932392		19970917 (8)

RELATED APPLN. INFO.: Continuation of Ser. No. US 1995-567886, filed on 8 Dec 1995, now abandoned

	NUMBER	DATE
PRIORITY INFORMATION:	GB 1994-25030	19941209

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Talbot, Brian K.
LEGAL REPRESENTATIVE: Mintz, Levin, Cohn, Ferris, Glovsky and Popeo, P. C.
NUMBER OF CLAIMS: 36
EXEMPLARY CLAIM: 1
LINE COUNT: 848
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
SUMM . . . provide a reduction in grain size of the copper adjacent to a silver rich layer. The copper plating baths contain **sodium iodide stabilizing agent**, silver ions, EDNA, copper sulphate an sodium hydroxide and, especially, a reducing agent.

=> d 6-27 ibib kwic

L2 ANSWER 6 OF 27 USPATFULL
ACCESSION NUMBER: 1999:7241 USPATFULL
TITLE: Intracellular antigens for identifying fetal cells in maternal blood
INVENTOR(S): Asgari, Morteza, Houston, TX, United States
Blick, Mark, Houston, TX, United States
Bresser, Joel, Bellaire, TX, United States
Cubbage, Michael Lee, Houston, TX, United States
Prashad, Nagindra, Houston, TX, United States
PATENT ASSIGNEE(S): Aprogenex, Inc., Houston, TX, United States (U.S.

corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5861253		19990119
APPLICATION INFO.:	US 1996-775607		19961231 (8)

RELATED APPLN. INFO.: Continuation of Ser. No. US 1995-374144, filed on 17 Jan 1995, now patented, Pat. No. US 5629147 which is a continuation of Ser. No. US 1993-94710, filed on 19 Jul 1993, now abandoned , said Ser. No. US 374144 which is a continuation-in-part of Ser. No. US 94710 which is a continuation-in-part of Ser. No. US 1992-915965, filed on 17 Jul 1992, now abandoned

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Myers, Carla J.
LEGAL REPRESENTATIVE: Elman & Associates
NUMBER OF CLAIMS: 13
EXEMPLARY CLAIM: 7
NUMBER OF DRAWINGS: 32 Drawing Figure(s); 17 Drawing Page(s)
LINE COUNT: 3122
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

DETD The hybridization solution may typically comprise a chaotropic denaturing agent, a buffer, a pore-forming agent, a hybrid **stabilizing agent**. The chaotropic denaturing agents include formamide, urea, thiocyanate, guanidine, trichloroacetate, tetramethylamine, perchlorate, and **sodium iodide**. Any buffer which maintains pH at least between about 6.0 and about 8.5 and preferably between 7.0 and 8.0 may. . .

L2 ANSWER 7 OF 27 USPATFULL
ACCESSION NUMBER: 1999:4318 USPATFULL
TITLE: Amplification of mRNA for distinguishing fetal cells in maternal blood
INVENTOR(S): Asgari, Morteza, Houston, TX, United States
Blick, Mark, Houston, TX, United States
Bresser, Joel, Bellaire, TX, United States
Cubbage, Michael Lee, Houston, TX, United States
Prashad, Nagindra, Houston, TX, United States
PATENT ASSIGNEE(S): Aprogenex, Inc., Houston, TX, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5858649		19990112
APPLICATION INFO.:	US 1996-775609		19961231 (8)

RELATED APPLN. INFO.: Continuation of Ser. No. US 1995-374144, filed on 17 Jan 1995, now patented, Pat. No. US 5629147 which is a continuation of Ser. No. US 1993-94710, filed on 17 Jul 1993, now abandoned And a continuation-in-part of Ser. No. US 94710 And Ser. No. US 1992-915765, filed on 17 Jul 1992, now abandoned

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Myers, Carla J.
LEGAL REPRESENTATIVE: Elman & Associates
NUMBER OF CLAIMS: 23

EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 32 Drawing Figure(s); 17 Drawing Page(s)
LINE COUNT: 3166
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
DETD The hybridization solution may typically comprise a chaotropic denaturing agent, a buffer, a pore-forming agent, a hybrid **stabilizing agent**. The chaotropic denaturing agents include formamide, urea, thiocyanate, guanidine, trichloroacetate, tetramethylamine, perchlorate, and **sodium iodide**. Any buffer which maintains pH at least between about 6.0 and about 8.5 and preferably between 7.0 and 8.0 may. . .

L2 ANSWER 8 OF 27 USPATFULL
ACCESSION NUMBER: 1998:118959 USPATFULL
TITLE: Photographic composition having fixing capacity and a method for processing using the same
INVENTOR(S): Kojima, Tetsuro, Minami-ashigara, Japan
Yoshikawa, Masaru, Minami-ashigara, Japan
Fujita, Yoshihiro, Minami-ashigara, Japan
PATENT ASSIGNEE(S): Fuji Photo Film Co., Ltd., Kanagawa-ken, Japan (non-U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 5814435		19980929	
APPLICATION INFO.:	US 6921183		19960805	(8)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. 365113, filed on 28 Dec 1994, now abandoned			

	NUMBER	DATE
PRIORITY INFORMATION:	JP 5-350531	19931228

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Le, Hoa Van
LEGAL REPRESENTATIVE: Birch, Stewart, Kolasch & Birch, LLP
NUMBER OF CLAIMS: 28
EXEMPLARY CLAIM: 1
LINE COUNT: 1947
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
DETD . . . nisher

	(g)	(g)
(Color-developer)		
Diethylenetriaminepentaacetic acid	2.0	2.2
Disodium catecol-3,5-disulfonate	0.3	0.3
Disodium N,N-bis(2-sulfoethyl)-hydroxylamine	2.0	2.0
Sodium sulfite	3.9	5.2
Potassium carbonate	37.5	39.0
Potassium bromide	1.4	--
Potassium iodide	1.3 mg	--
Hydroxylamine sulfate	2.4	3.3
2-Methyl-4-[N-ethyl-N-(.beta.-hydroxyethyl)-amino]aniline sulfonate	4.5	6.3

Water to make 1.0 liter
1.0 liter
pH 10.05 10.16
(Bleaching solution)
Iron (III) ammonium. . . was adjusted by aqueous ammonia)
(Fixing solution) Tank solution
(Replenisher: 3 times concentrated
solution of Tank solution)
Aqueous ammonium thiosulfate solution
280 ml
(700 g/liter)
Additive (**stabilizing agent**)
See Table 1
Imidazole 15.0
Ethylenediaminetetraacetic acid
12.5
Water to make 1.0 liter
pH 7.40
(pH was adjusted by aqueous ammonia and acetic acid)

L2 ANSWER 9 OF 27 USPATFULL
ACCESSION NUMBER: 1998:68770 USPATFULL
TITLE: Enriching and identifying fetal cells in maternal blood
for in situ hybridization on a solid surface
INVENTOR(S): Asgari, Morteza, Houston, TX, United States
Blick, Mark, Houston, TX, United States
Bresser, Joel, Bellaire, TX, United States
Cubbage, Michael Lee, Houston, TX, United States
Prashad, Nagindra, Houston, TX, United States
PATENT ASSIGNEE(S): Aprogenex, Inc., Houston, TX, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5766843		19980616
APPLICATION INFO.:	US 1996-775164		19961231 (8)

RELATED APPLN. INFO.: Continuation of Ser. No. US 1995-374144, filed on 17 Jan 1995, now patented, Pat. No. US 5629147 which is a continuation of Ser. No. US 1993-94710, filed on 17 Jul
1993, now abandoned which is a continuation-in-part of Ser. No. US 1992-915965, filed on 17 Jul 1992, now abandoned
DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Myers, Carla J.
LEGAL REPRESENTATIVE: Elman & Associates
NUMBER OF CLAIMS: 19
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 32 Drawing Figure(s); 17 Drawing Page(s)
LINE COUNT: 3130
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
DETD The hybridization solution may typically comprise a chaotropic denaturing agent, a buffer, a pore-forming agent, a hybrid **stabilizing agent**. The chaotropic denaturing agents include formamide, urea, thiocyanate, guanidine, trichloroacetate, tetramethylamine, perchlorate, and **sodium iodide**.
Any buffer which maintains pH at least between about 6.0 and about 8.5

and preferably between 7.0 and 8.0 may. . .

L2 ANSWER 10 OF 27 USPATFULL
ACCESSION NUMBER: 97:40629 USPATFULL
TITLE: Enriching and identifying fetal cells in maternal blood
for in situ hybridization
INVENTOR(S): Asgari, Morteza, Houston, TX, United States
Blick, Mark, Houston, TX, United States
Bresser, Joel, Bellaire, TX, United States
Cubbage, Michael L., Houston, TX, United States
Prashad, Nagindra, Houston, TX, United States
PATENT ASSIGNEE(S): Aprogenex, Inc., Houston, TX, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5629147		19970513
APPLICATION INFO.:	US 1995-374144		19950117 (8)

RELATED APPLN. INFO.: Continuation of Ser. No. US 1993-94710, filed on 17 Jul
1993, now abandoned which is a continuation-in-part of Ser. No. US 1992-915965, filed on 17 Jul 1992, now abandoned
DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Myers, Carla J.
LEGAL REPRESENTATIVE: Elman & Associates
NUMBER OF CLAIMS: 17
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 32 Drawing Figure(s); 17 Drawing Page(s)
LINE COUNT: 3114
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
DETD The hybridization solution may typically comprise a chaotropic denaturing agent, a buffer, a pore-forming agent, a hybrid **stabilizing agent**. The chaotropic denaturing agents include formamide, urea, thiocyanate, guanidine, trichloroacetate, tetramethylamine, perchlorate, and **sodium iodide**.
Any buffer which maintains pH at least between about 6.0 and about 8.5 and preferably between 7.0 and 8.0 may. . .

L2 ANSWER 11 OF 27 USPATFULL
ACCESSION NUMBER: 94:7682 USPATFULL
TITLE: 3-fused pyridiniummethyl cephalosporins
INVENTOR(S): Kim, Choong S., Seoul, Korea, Republic of
An, Seung H., Seoul, Korea, Republic of
Cho, Sung K., Seoul, Korea, Republic of
Ahn, Yang S., Seoul, Korea, Republic of
Choi, Kyoung E., Seoul, Korea, Republic of
Kim, Je H., Kyonggi-do, Korea, Republic of
Yun, Rok L., Kyonggi-do, Korea, Republic of
Park, Sung Y., Seoul, Korea, Republic of
Yoon, Yeo H., Seoul, Korea, Republic of
Lyu, Chun S., Seoul, Korea, Republic of
Lee, Koun H., Seoul, Korea, Republic of
PATENT ASSIGNEE(S): Cheil Foods & Chemicals, Inc., Seoul, Korea, Republic of (non-U.S. corporation)

	NUMBER	KIND	DATE

PATENT INFORMATION: US 5281589 19940125
APPLICATION INFO.: US 1992-896667 19920610 (7)

	NUMBER	DATE
PRIORITY INFORMATION:	KR 1991-U9930	19910615
	KR 1992-U2067	19920212

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Rizzo, Nicholas S.
LEGAL REPRESENTATIVE: Burns, Doane, Swecker & Mathis
NUMBER OF CLAIMS: 10
EXEMPLARY CLAIM: 1
LINE COUNT: 1453
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
SUMM During and after the preparation, a **stabilizing agent** can be used to stabilize reaction products and their intermediates. As a **stabilizing agent**, one or more salts selected from the group consisting of **sodium iodide**, **potassium iodide**, sodium bromide, potassium bromide and potassium thiocyanate can be mentioned.

L2 ANSWER 12 OF 27 USPATFULL
ACCESSION NUMBER: 93:58802 USPATFULL
TITLE: Aqueous liquid automatic dishwashing detergent composition comprising hypochlorite bleach and an iodate or iodide hypochlorite bleach stabilizer
INVENTOR(S): Ahmed, Fahim U., Plainsboro, NJ, United States
PATENT ASSIGNEE(S): Colgate-Palmolive Company, Piscataway, NJ, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5229027		19930720
APPLICATION INFO.:	US 1992-956683		19921002 (7)

DISCLAIMER DATE: 20100209
RELATED APPLN. INFO.: Continuation of Ser. No. US 1991-675551, filed on 20 Mar 1991, now patented, Pat. No. US 5185096
DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Albrecht, Dennis
LEGAL REPRESENTATIVE: Nanfeldt, Richard E., Sullivan, Robert C., Grill, Murray
NUMBER OF CLAIMS: 45
EXEMPLARY CLAIM: 1,22
LINE COUNT: 1349
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
DETD . . . be obtained by adding to the aqueous liquid detergent composition a small effective amount hypochlorite bleach stabilizer selected from the **potassium iodide**/iodine and potassium iodate. The physical stability, i.e., resistance to phase separation, settling, etc. can be improved by adding to the composition a small effective amount of a thickener and **stabilizing agent**.

L2 ANSWER 13 OF 27 USPATFULL
ACCESSION NUMBER: 93:54414 USPATFULL
TITLE: Linear viscoelastic aqueous liquid automatic dishwasher

detergent composition having improved chlorine stability
INVENTOR(S): Ahmed, Fagim U., Dayton, NJ, United States
Shevade, Makarand, Hamilton, NJ, United States
PATENT ASSIGNEE(S): Colgate Palmolive Company, New York, NY, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5225096		19930706
APPLICATION INFO.:	US 1991-789566		19911108 (7)

DISCLAIMER DATE: 20081001
RELATED APPLN. INFO.: Continuation-in-part of Ser. No. US 1989-353712, filed on 18 May 1989, now patented, Pat. No. US 5064553 And a
continuation-in-part of Ser. No. US 1991-675551, filed on 20 Mar 1991, now patented, Pat. No. US 5185096
DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Shine, W. J.
ASSISTANT EXAMINER: McGinty, Douglas J.
LEGAL REPRESENTATIVE: Nonfeldt, Richard E., Sullivan, Robert C., Grill, Murray
NUMBER OF CLAIMS: 18
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 13 Drawing Figure(s); 13 Drawing Page(s)
LINE COUNT: 1230
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
CLM What is claimed is:
14. The composition of claim 1, wherein said chlorine bleach **stabilizing agent** is a mixture of an alkali metal iodide and iodine wherein the **potassium iodide** is present at a concentration of about 0.037 to 0.78 weight percent and the
concentration of the iodine is 0.037. . .

L2 ANSWER 14 OF 27 USPATFULL
ACCESSION NUMBER: 93:33388 USPATFULL
TITLE: Silver halide color reversal photographic material
INVENTOR(S): Bando, Shinsuke, Kanagawa, Japan
PATENT ASSIGNEE(S): Fuji Photo Film Co., Ltd., Kanagawa, Japan (non-U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5206133		19930427
APPLICATION INFO.:	US 1991-770784		19911004 (7)

RELATED APPLN. INFO.: Continuation of Ser. No. US 1990-624506, filed on 7 Dec
1990, now abandoned which is a continuation of Ser. No.
US 1988-235812, filed on 23 Aug 1988, now abandoned which is a continuation of Ser. No. US 1986-887771, filed on 21 Jul 1986, now abandoned

	NUMBER	DATE
PRIORITY INFORMATION:	JP 1985-158430	19850719

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted

PRIMARY EXAMINER: Bowers, Jr., Charles L.
ASSISTANT EXAMINER: Baxter, Janet C.
LEGAL REPRESENTATIVE: Sughrue, Mion, Zinn, Macpeak & Seas
NUMBER OF CLAIMS: 6
EXEMPLARY CLAIM: 1
LINE COUNT: 1254
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

DETD . . . 2 g

Sodium sulfite	20	g
Hydroquinone monosulfonate	30	g
Sodium carbonate (monohydrate)	30	g
1-phenyl-4-methyl-4-hydroxymethyl-3 pyrazolidone	2	g
Potassium bromide	2.5	g
Potassium thiocyanate	1.2	g
Potassium iodide (0.1% solution)	2	ml
Water to make	1,000	ml
	(pH	9.6)
Reversal bath		
Water	700	ml
Nitrilo-N,N,N-pentasodium trimethylenephosphate	3	g
Stannous chloride (dihydrate)	1	g
p-aminophenol. . . bath		
Water	700	ml
Nitrilo-N,N,N-pentasodium trimethylenephosphate	3	g
Stannous chloride (dihydrate)	1	g
Sodium sulfite	7	g
Tribasic sodium phosphate (dodecahydrate)	36	g
Potassium bromide	1	g
Potassium iodide (0.1% solution)	90	ml
Sodium hydroxide	3	g
Citrazinic acid	1.5	g
N-Ethyl-N-(.beta.-methanesulfonamidoethyl)-3-methyl-4-	11	g
sulfate aminoaniline		
3,6-Dithiaoctane-1,8-diol	1	g
Water to make	1,000	ml
	(pH. . .	ml
	(pH	5.6)
Fixing bath		
Water	800	ml
Sodium thiosulfate	80.0	g
Sodium sulfite	5.0	g
Sodium bisulfite	5.0	g
Water to make	1,000	ml
	(pH	6.6)
Stabilizing agent		
Water	800	ml
Formalin (37 wt % formaldehyde solution)	5.0	ml
Fuji Driwell (surface active agent produced	5.0	ml

by Fuji Film)
Water to make. . .

L2 ANSWER 15 OF 27 USPATFULL
ACCESSION NUMBER: 93:10284 USPATFULL
TITLE: Aqueous liquid automatic dishwashing detergent composition comprising hypochlorite bleach and bleach stabilizer
INVENTOR(S): Ahmed, Fahim U., Dayton, NJ, United States
PATENT ASSIGNEE(S): Colgate-Palmolive Co., Piscataway, NJ, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 5185096		19930209
APPLICATION INFO.:	US 1991-675551		19910320 (7)

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Lieberman, Paul
ASSISTANT EXAMINER: Higgins, Erin M.
LEGAL REPRESENTATIVE: Nanfeldt, Richard E., Grill, Murray, Sullivan, Robert C.
NUMBER OF CLAIMS: 5
EXEMPLARY CLAIM: 1
LINE COUNT: 1108
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
DETD . . . be obtained by adding to the aqueous liquid detergent composition a small effective amount hypochlorite bleach stabilizer selected from the **potassium iodide**/iodine and potassium iodate. The physical stability, i.e., resistance to phase separation, settling, etc. can be improved by adding to the composition a small effective amount of a thickener and **stabilizing agent**.

L2 ANSWER 16 OF 27 CAPLUS COPYRIGHT 2002 ACS
ACCESSION NUMBER: 1992:514630 CAPLUS
DOCUMENT NUMBER: 117:114630
TITLE: Process for manufacture of beta-ferric oxide monohydrate and its use for producing alkali metal ferrates
INVENTOR(S): Deininger, J. Paul
PATENT ASSIGNEE(S): Analytical Development Corp., USA
SOURCE: PCT Int. Appl., 79 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9206924	A1	19920430	WO 1991-US7519	19911011
W: AT, AU, BB, BG, BR, CA, CH, CS, DE, DK, ES, FI, GB, HU, JP, KP, KR, LK, LU, MC, MG, MN, MW, NL, NO, PL, RO, SD, SE, SU				
RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, DE, DK, ES, FR, GA, GB, GN, GR, IT, LU, ML, MR, NL, SE, SN, TD, TG				
US 5202108	A	19930413	US 1990-596877	19901012
AU 9188676	A1	19920520	AU 1991-88676	19911011
US 5370857	A	19941206	US 1993-46787	19930413
PRIORITY APPLN. INFO.:			US 1990-596877	19901012

WO 1991-US7519 19911011

IT 7681-11-0, **Potassium iodide**, uses 7681-55-2, Sodium iodate 7681-82-5, **Sodium iodide**, uses 7758-05-6, Potassium iodate 7790-28-5, Sodium periodate 12201-46-6, Sodium telluride (NaTe) 13940-38-0 14332-22-0 43644-27-5 69725-36-6 76300-00-0 118381-55-8, Potassium telluride (KTe) 143226-29-3 143226-30-6 143226-31-7
RL: USES (Uses)
(ferrate **stabilizing agent**, in alkali metal ferrate manuf. from ferric oxide)

L2 ANSWER 17 OF 27 USPATFULL

ACCESSION NUMBER:	92:70429 USPATFULL
TITLE:	Cephalosporin intermediates
INVENTOR(S):	Kim, Yong Z., Doryong, Korea, Republic of Yeo, Jae H., Doryong, Korea, Republic of Lim, Jong C., Doryong, Korea, Republic of Kim, Won S., Doryong, Korea, Republic of Bang, Chan S., Doryong, Korea, Republic of
PATENT ASSIGNEE(S):	Lucky, Ltd., Seoul, Korea, Republic of (non-U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 5142041		19920825	
APPLICATION INFO.:	US 1991-673673		19910322	(7)

	NUMBER	DATE
PRIORITY INFORMATION:	KR 1990-3994	19900324
	KR 1990-22332	19901229

DOCUMENT TYPE:	Utility
FILE SEGMENT:	Granted
PRIMARY EXAMINER:	Rizzo, Nicholas S.
LEGAL REPRESENTATIVE:	Ladas & Parry
NUMBER OF CLAIMS:	4
EXEMPLARY CLAIM:	1
LINE COUNT:	655

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

SUMM To stabilize the aqueous reaction process of (Eq. 3), one or more salts selected from the group consisting of **sodium iodide**, **potassium iodide**, sodium bromide, potassium bromide and potassium thiocyanate can be effectively used as a **stabilizing agent**.

L2 ANSWER 18 OF 27 USPATFULL

ACCESSION NUMBER:	90:76623 USPATFULL
TITLE:	Method for processing a black-and-white photosensitive material
INVENTOR(S):	Okazaki, Masaki, Kanagawa, Japan Ikegawa, Akihiko, Kanagawa, Japan Yamada, Minoeu, Kanagawa, Japan Steo, Kunio, Kanagawa, Japan
PATENT ASSIGNEE(S):	Fuji Photo Film Co., Ltd., Kanagawa, Japan (non-U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 4960683		19901002	
APPLICATION INFO.:	US 1988-212995		19880629	(7)

	NUMBER	DATE
PRIORITY INFORMATION:	JP 1987-161478	19870629
	JP 1987-171795	19870709
	JP 1987-178701	19870717
	JP 1987-191312	19870730

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Michl, Paul R.
ASSISTANT EXAMINER: Chea, Thorl
LEGAL REPRESENTATIVE: Sughrue, Mion, Zinn, Macpeak & Seas
NUMBER OF CLAIMS: 24
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 1 Drawing Figure(s); 1 Drawing Page(s)
LINE COUNT: 1399
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
DETD . . . added, and subsequently a water solution of silver nitrate, a water solution of potassium bromide and a water solution of **potassium iodide** were simultaneously added in the presence of ammonia over a 60 minute period as the pAg of the reaction system. . . . described below was added as a sensitizing dye in an amount of 5.6.times.10.sup.-5 mol/mol Ag, and further 4-hydroxy-6-methyl-1,3,3a,7-tetraazaindene (as a **stabilizing agent**), a dispersion of polyethylene glycol, 1,3-vinylsulfonyl-2-propanol, 1-phenyl-5-mercaptotetrazole and 1,4-bis[3-(4-acetylaminopyridinio)propionyloxy]tetramethylenedipromide, and the same hydrazine derivative as used in Example 3 (in. . .

L2 ANSWER 19 OF 27 USPATFULL
ACCESSION NUMBER: 89:21100 USPATFULL
TITLE: Silver halide photographic material containing a development restrainer or a precursor thereof
INVENTOR(S): Ichijima, Seiji, Kanagawa, Japan
Hirano, Shigeo, Kanagawa, Japan
PATENT ASSIGNEE(S): Fuji Photo Film Co., Ltd., Kanagawa, Japan (non-U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 4814261		19890321	
APPLICATION INFO.:	US 1987-74396		19870716	(7)

	NUMBER	DATE
PRIORITY INFORMATION:	JP 1986-167644	19860716

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Shah, Mukund J.
LEGAL REPRESENTATIVE: Sughrue, Mion, Zinn, Macpeak & Seas
NUMBER OF CLAIMS: 25
EXEMPLARY CLAIM: 1
LINE COUNT: 1347
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
DETD . . . (iodide content: 2 mol%) having an average grain diameter of 1.3 .mu.m was prepared from silver nitrate, potassium bromide and **potassium iodide** by a general ammonia method. Chemical sensitization was carried out by a gold and sulfur sensitizing method using chloroauric acid and sodium thiosulfate. Washing was done by a general precipitation method, and 4-hydroxy-6-methyl-1,3,3a,7-

tetraazaindene was added as a **stabilizing agent** and thus a light-sensitive silver iodobromide emulsion was obtained.

L2 ANSWER 20 OF 27 USPATFULL
ACCESSION NUMBER: 88:65565 USPATFULL
TITLE: Process for forming copper coating having excellent mechanical properties, and printed-wiring board with conductor pattern formed of such copper coating
INVENTOR(S): Miyabayashi, Takeshi, Nagoya, Japan
PATENT ASSIGNEE(S): Brother Kogyo Kabushiki Kaisha, Aichi, Japan (non-U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 4777078		19881011	
APPLICATION INFO.:	US 1987-23632		19870309	(7)

	NUMBER	DATE
PRIORITY INFORMATION:	JP 1986-54200	19860312

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Kittle, John E.
ASSISTANT EXAMINER: Ryan, P. J.
LEGAL REPRESENTATIVE: Parkhurst, Oliff & Berridge
NUMBER OF CLAIMS: 15
EXEMPLARY CLAIM: 9
NUMBER OF DRAWINGS: 9 Drawing Figure(s); 5 Drawing Page(s)
LINE COUNT: 544
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
DETD While **sodium iodide** is added as a **stabilizing agent**, the iodine ions have an extremely high tendency to adhere to the surface of the copper coating being formed as. . . as an inhibitor to restrain an oxidizing reaction of formalin, thus affecting the orientation of the copper crystals. Furthermore, the **sodium iodide** which inhibits the oxidizing reaction of formalin, enables the EDTA as a complexing agent to serve as a copper reducing. . .

L2 ANSWER 21 OF 27 USPATFULL
ACCESSION NUMBER: 87:41827 USPATFULL
TITLE: High intensity discharge device containing oxytrihalides
INVENTOR(S): Lapatovich, Walter P., Hudson, MA, United States
Keeffe, William M., Rockport, MA, United States
Liebermann, Richard W., Danvers, MA, United States
Maya, Jakob, Brookline, MA, United States
PATENT ASSIGNEE(S): GTE Laboratories Incorporated, Waltham, MA, United States (U.S. corporation)
GTE Products Corporation, Danvers, MA, United States (U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 4672267		19870609	
APPLICATION INFO.:	US 1986-848435		19860404	(6)

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: DeMeo, Palmer C.
ASSISTANT EXAMINER: O'Shea, Sandra L.

LEGAL REPRESENTATIVE: Finnegan, Martha Ann
NUMBER OF CLAIMS: 20
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 7 Drawing Figure(s); 7 Drawing Page(s)
LINE COUNT: 609
CLM What is claimed is:
. . . comprising a sealed light-transmissive arc tube, said arc tube including a fill; said fill comprising mercury, niobium oxytrichloride, a molecular **stabilizing agent** consisting of mercuric iodide, a metallic niobium chip, the molar ratio of said metallic niobium chip to niobium oxytrichloride in the fill being in the range of from about 0.23:1 to about 2.33:1; cesium iodide; **sodium iodide**; and from about 5 to about 100 torr argon; the molar ratio of said niobium oxytrichloride to mercuric iodide being. . . 19. A fill composition for a high intensity discharge device comprising mercury, niobium oxytrichloride a molecular **stabilizing agent** consisting of mercuric iodide, a metallic niobium chip, cesium iodide; **sodium iodide**; and about 5 to about 100 torr argon; the molar ratio of said niobium oxytrichloride to mercuric iodide being in. . .

L2 ANSWER 22 OF 27 USPATFULL
ACCESSION NUMBER: 86:4832 USPATFULL
TITLE: Solutions for the fusion of one metal to another
INVENTOR(S): Joseph, Ady, Islington, Canada
Mayer, Lily, Etobicoke, Canada
Miutel, Alexander, Toronto, Canada
PATENT ASSIGNEE(S): Metafuse Limited, Ontario, Canada (non-U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 4566992		19860128	
APPLICATION INFO.:	US 1981-335282		19811228	(6)

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Lieberman, Paul
ASSISTANT EXAMINER: Wax, Robert A.
LEGAL REPRESENTATIVE: Cushman, Darby & Cushman
NUMBER OF CLAIMS: 19
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 52 Drawing Figure(s); 28 Drawing Page(s)
LINE COUNT: 1290
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
CLM What is claimed is:
. . . the second compound is selected from the group consisting of one of pyrophosphates, ethylene diamine tetracetic acid, citric acid, and **potassium iodide** and the like, the pyrophosphates also serving as the **stabilizing agent**.

L2 ANSWER 23 OF 27 USPATFULL
ACCESSION NUMBER: 85:65290 USPATFULL
TITLE: Method of developing silver halide photographic material
INVENTOR(S): Sugimoto, Tadao, Kanagawa, Japan
Ikeda, Hideo, Kanagawa, Japan
Nakamura, Koki, Kanagawa, Japan
PATENT ASSIGNEE(S): Fuji Photo Film Co., Ltd., Japan (non-U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 4551419		19851105
APPLICATION INFO.:	US 1984-579048		19840210 (6)

	NUMBER	DATE
PRIORITY INFORMATION:	JP 1983-21269	19830210

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Louie, Won H.
LEGAL REPRESENTATIVE: Sughrue, Mion, Zinn, Macpeak, and Seas
NUMBER OF CLAIMS: 26
EXEMPLARY CLAIM: 1
LINE COUNT: 1574
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
DETD . . . iodobromide emulsion having a mean grain size of 1.3.mu. (AgI: 2 mol.%) was prepared from silver nitrate, potassium bromide and **potassium iodide**. The emulsion prepared was subjected to chemical sensitization consisting of gold-sulfur sensitization using chloroauric acid and sodium thiosulfate. After removal of salts using an usual coagulation method, 4-hydroxy-6-methyl-1,3,3a,7-tetrazaindene was added to the emulsion as a **stabilizing agent**. Thus, the light-sensitive silver iodobromide emulsion A was obtained.

L2 ANSWER 24 OF 27 USPATFULL
ACCESSION NUMBER: 85:16397 USPATFULL
TITLE: Silver halide photographic light-sensitive materials
INVENTOR(S): Sugimoto, Tadao, Kanagawa, Japan
Ikeda, Hideo, Kanagawa, Japan
PATENT ASSIGNEE(S): Fuji Photo Film Co., Ltd., Kanagawa, Japan (non-U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 4506008		19850319
APPLICATION INFO.:	US 1983-502808		19830609 (6)

	NUMBER	DATE
PRIORITY INFORMATION:	JP 1982-98927	19820609

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Louie, Won H.
LEGAL REPRESENTATIVE: Sughrue, Mion, Zinn, Macpeak and Seas
NUMBER OF CLAIMS: 7
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 2 Drawing Figure(s); 1 Drawing Page(s)
LINE COUNT: 764
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
DETD . . . iodide content: 2% by mol) having an average particle size of 1.3.mu. was prepared from silver nitrate, potassium bromide and **potassium iodide** by a conventional ammonia process, and the resulting emulsion was chemically sensitized by a gold-sulfur sensitization process. 4-Hydroxy-6-methyl-1,3,3a,7-tetraazaindene was added in a suitable amount as a **stabilizing agent** to obtain a photosensitive silver iodobromide emulsion A. Then, a silver iodobromide emulsion (silver iodide content: 1.5% by mol) having.

same ammonia process and chemically sensitized by a gold-sulfur sensitization process. 4-Hydroxy-6-methyl-1,3,3a,7-tetraazaidene was added in a suitable amount as a **stabilizing agent** to obtain a photosensitive silver iodobromide emulsion B.

L2 ANSWER 25 OF 27 USPATFULL
ACCESSION NUMBER: 84:2051 USPATFULL
TITLE: Lankacidin derivatives used in swine husbandry
INVENTOR(S): Narukawa, Noriaki, Fukuchiyama, Japan
Takeda, Keinosuke, Fukuchiyama, Japan
Yamazaki, Toshiyuki, Kawanishi, Japan
PATENT ASSIGNEE(S): Takeda Chemical Industries, Ltd., Osaka, Japan
(non-U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 4425356		19840110	
APPLICATION INFO.:	US 1981-324635		19811124	(6)

	NUMBER	DATE
PRIORITY INFORMATION:	JP 1980-168979	19801129
	JP 1981-104583	19810703

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Fan, Jane T.
LEGAL REPRESENTATIVE: Wenderoth, Lind & Ponack
NUMBER OF CLAIMS: 10
EXEMPLARY CLAIM: 1
LINE COUNT: 891
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
SUMM Suitable auxiliaries, such as an emulsifying agent, dispersing agent, suspending agent, wetting agent, thickening agent, gelling agent, solubilizing agent and **stabilizing agent**, may be added in adequate amounts. Furthermore, an antiseptic, fungicide, antibiotic, yeast preparation and/or lactobacillus preparation may be formulated. The. . . copper (e.g., cupric sulfate, cupric phosphate, cupric chloride), zinc (e.g., zinc carbonate, zinc chloride), iodine (e.g., calcium iodate, calcium iodide, **sodium iodide**) can be mentioned. Vitamins include water-insoluble (e.g., vitamin A, vitamin D.sub.3) and water-soluble vitamins (e.g., vitamin B.sub.1, vitamin C), and. . .

L2 ANSWER 26 OF 27 USPATFULL
ACCESSION NUMBER: 77:11409 USPATFULL
TITLE: Silver halide photographic material
INVENTOR(S): Sakai, Takeo, Minami-ashigara, Japan
Yoneyama, Masakazu, Minami-ashigara, Japan
Yamamoto, Nobuo, Minami-ashigara, Japan
PATENT ASSIGNEE(S): Fuji Photo Film Co., Ltd., Minami-ashigara, Japan
(non-U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 4011082		19770308	
APPLICATION INFO.:	US 1975-584674		19750606	(5)

	NUMBER	DATE
PRIORITY INFORMATION:	JP 1974-64437	19740606

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Kelley, Mary F.
LEGAL REPRESENTATIVE: Sughrue, Rothwell, Mion, Zinn & Macpeak
NUMBER OF CLAIMS: 12
EXEMPLARY CLAIM: 1
LINE COUNT: 689
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
DETD . . . or a salt (e.g., sodium carbonate), or a development controlling agent such as an alkali metal halide (e.g., potassium bromide, **potassium iodide**, etc.). Certain alkaline compounds not only render the developer alkaline, but also act as a pH buffer and a development controlling agent. Still other ingredients which can be added to the developer are a **stabilizing agent** such as ascorbic acid and kojic acid, an anti-foggant such as benzotriazole, and 1-phenyl-5-mercaptotetrazole, etc.

L2 ANSWER 27 OF 27 USPATFULL
ACCESSION NUMBER: 75:18211 USPATFULL
TITLE: Method and means for protecting documents
INVENTOR(S): Lozano, Ernesto B., Paulino Alfonso 18 Piso 3, Santiago, Chile

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 3876496		19750408	
APPLICATION INFO.:	US 1973-359844		19730514	(5)

DOCUMENT TYPE: Utility
FILE SEGMENT: Granted
PRIMARY EXAMINER: Bashore, S. Leon
ASSISTANT EXAMINER: D'Andrea, Jr., Alfred
LEGAL REPRESENTATIVE: Sandoe, Hopgood & Calimafde
NUMBER OF CLAIMS: 12
EXEMPLARY CLAIM: 5
NUMBER OF DRAWINGS: 1 Drawing Figure(s); 1 Drawing Page(s)
LINE COUNT: 347
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
DETD . . . hydroxides of ammonia and alkali metals (Na, K, Li), whereby the dye is stabilized. An aqueous dispersion thereof together with **potassium iodide** or manganese sulfate provides a solution that can be readily applied to or absorbed by the paper near the finishing stages of paper making. Sodium hydroxide is preferred as the **stabilizing agent** for said dye and may be added to the colloid mill.
DETD . . . well known manner, a solution containing 2 parts by weight of Victoria Blue B, 2 parts by weight of the **stabilizing agent** NaOH and the balance water is added to the vat in a proportion to produce a cellulose slurry or paper. . . of contacting drying rolls which are heated. The dried paper is then fed into a tank containing a solution of **potassium iodide**, a typical solution being one containing 3% KI and the balance essentially water. The treated paper sheet is again passed. . .
DETD . . . amount ranging by weight from about 0.5 to 5 percent stabilized with about 1 to 5 percent of the alkaline dye-**stabilizing agent** and containing 1 to 6 percent of **potassium iodide** or manganese sulfate, and the balance water. The foregoing can be applied to the paper as stated hereinbefore. A more.

. Victoria Blue B stabilized with about 1 to 3 percent sodium

hyrdoxide, and also containing about 1 to 3 percent **potassium iodide** and the balance essentially water.

=> log y

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	39.34	39.55

STN INTERNATIONAL LOGOFF AT 13:48:41 ON 01 OCT 2002